

H3C1G Single-Mode SFP Optical Module



Overview

Each SFP transceiver module is individually tested to be used on a series of switches, routers, servers, network interface card (NICs) etc. Featuring low power consumption, the hot swappable 1G SFP transceiver is ideal for Internet Service Provider (ISP) Gigabit Ethernet. Table 1 describes transceiver modules and network cables available for H3C devices. It is suitable for 1000BASE-SX Gigabit Ethernet and 1G Fibre Channel application. The product supports up to 550m link lengths over. The H3C SFP-GE-SX-MM850-D is SFP (Small Form). The H3C SFP-GE-LH70-SM1490-BIDI compatible SFP optical transceiver module is equipped with an LC simplex connector, reaching a link up to 80km. This 1G BiDi SFP transceiver, featured with carrying information in both directions via a single strand, can double your network capacity and save your. This product is listed as H3C 1G SFP Transceiver Single Mode 1310nm 10km LX LC Pre-filled from listing: Lexus • LX. Confirm the pre-filled details first.

Article Content

H3C 1G SFP Transceiver Single Mode 1310nm 10km LX LC

You will receive one (1) genuine H3C 1G SFP Transceiver module, ready to install in your compatible network hardware. Please note that this transceiver is designed specifically for single mode fiber

10GE SFP+ Optical Modules

OMXD30000 OSX010000 OSX040N01 OSXD22N00 SFP-10G-BXD1 SFP-10G-BXU1 SFP-10G-ER-1310 SFP-10G-ER-SM1270-BIDI SFP-10G-ER-SM1330-BIDI SFP-10G-LR-I SFP-10G-USR SFP-10G

SFP Transceiver Modul mit DOM

H3C Compatible 1000BASE-CWDM SFP Transceiver Module (SMF, 1570nm, 120km, LC, Industrial, DOM) The H3C compatible SFP transceiver supports up to 120km link lengths over single-mode fiber

1000BASE-EX SFP 1310nm 40km Transceiver Datasheet | FS

Description The SFP1G-LH-31 series single-mode transceivers are small form factor pluggable module for bi-directional serial optical data communications such as Gigabit Ethernet 1000BASE-LX and

10 Gbit/s SFP+ Optical Module

You can use different levels of 10 Gbit/s SFP+ optical modules only with 10 GE interfaces. The wavelength of these 10 Gbit/s SFP+ optical modules can be 850 nm, 1310 nm, or

Huawei SFP-GE-LX-SM1310-A Single Mode Fiber Transceiver

The SFP-GE-LX-SM1310-A must be operated within the specified temperature and voltage limits. The optical ports of the module shall be terminated with an optical connector or with a dust plug.

H3C Transceiver Modules User Guide

QSFP+ port to four 10G SFP+ ports. The QSFP+ optical transceiver module and SFP+ optical transceiver modules to be connected must be the same in specifications, including

H3C BIDI SFP-GE-LH70-SM1490-BIDI TX1490nm/RX1550nm 80km

This 1G BiDi SFP transceiver, featured with carrying information in both directions via a single strand, can double your network capacity and save your cable resources.

H3C JD098B compatible SFP 1G Singlemode BiDi 10km

This SFP transceiver module sends and receives its data on two different wavelengths over one single fiber core. The sending wavelength is 1310nm, the receiving wavelength is 1490nm.

10GbE SFP+ Transceivers

These compact, hot-swappable modules enable seamless 10 gigabit Ethernet connectivity, supporting a range of standards from short-range multimode fiber (SR) to long-range single-mode fiber (LR) and

1 Gigabit Singlemode SFP Fiber Optic Transceivers

1 Gigabit Singlemode SFP Transceivers Our 1 Gigabit Singlemode SFP Transceivers offer high-performance, reliable connectivity for singlemode fiber optic networks.

XG-SFP-LR-SM1310 10GBASE-LR SFP+ 1310-nm 10-km DOM

The XG-SFP-LR-SM1310 is aligned to IEEE 10GBASE-LR optical specifications and supports a link length of up to 10 kilometers over a single-mode fiber (SMF) with an LC connector. It adopts the

Genuine H3C Transceiver Modules

The H3C QSFP-40G-LR4-WDM1300 QSFP+ Optical Transceiver Module is designed for use in 40GBASE Ethernet throughput up to 10km over single mode fiber (SMF) using a wavelength of

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.activa.net.pl>

Email: sales@activa.net.pl

Phone: +48 662 748 193

Address: ul. Cybernetyki 7B, 02-677 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

