

# Latvian CE certified SFP optical module 1G



## Overview

CBO SFP-1G-EX is a 1G SFP fiber optic transceiver designed for single-mode fiber links. Typical use cases include long-reach connections between network equipment, telecom and enterprise. FS gigabit ethernet transceiver solutions provide fibre or copper options including 1000BASE-SX, 1000BASE-LX/LH, 1000BASE-T etc., from 100m to 160km, for 1G switches, routers, servers, NICs and other transmission equipment. Therefore, it is sometimes called 1G SFP or GE SFP module. 25Gbps SFP transceiver module supports up to SX 550m, SX 2km, LX/LH 10km, EX 40km, ZX 80km link lengths over LC duplex SMF fiber which operating at 850nm, 1310nm, or 1550nm wavelengths. They are designed for use in Fast Ethernet, Gigabit Ethernet, Fibre Channel, and SONET/SDH. SFP 1G (Small Form-Factor Pluggable) modules provide versatile and reliable network connectivity in a compact form factor. SFP 1G modules are compatible with various Ethernet.

## Article Content

SFP Optical Transceiver Products | Syrotech Networks

An SFP (Small Form-Factor Pluggable) is a compact, hot-pluggable transceiver used in telecommunications and data networks for high-speed connectivity. Supporting

1G SFP Optical Transceivers | Transceiver Modules

Store.QSFPTEK 1G SFP transceivers provide wide selection for various Gigabit Ethernet applications, such as 100+ vendors compatibility, copper/fiber, SMF/MMF, 100m to 80km.

Choosing the Right 1G SFP Transceivers for Your Network Upgrade

If you are considering upgrading your switches and are unsure how to select the right 1G SFP optical modules, this blog aims to provide practical guidance. It will assist you in choosing an

Ruijie MINI-GBIC-LX-SM1310 Compatible 1G SFP Module

Our compatible Ruijie Networks MINI-GBIC-LX-SM1310 module is CE/RoHS certified, it meets product safety standards, and is compliant with SFP Multi Source Agreement (MSA) SFF-8477 industry

SFP transceiver CBO SFP-1G-EX 1G SFP-1G-EX-SP-BO | AiO.lv

CBO SFP-1G-EX is a 1G SFP fiber optic transceiver designed for single-mode fiber links. Compatible with SFP slots, it provides 1 Gigabit data rate for network uplinks, switches and routers.

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.activa.net.pl>

Email: [sales@activa.net.pl](mailto:sales@activa.net.pl)

Phone: +48 662 748 193

Address: ul. Cybernetyki 7B, 02-677 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

