Activa Netcom & Energy Systems

Swiss Active Optical Device QSFP-DD



Overview

The 400G QSFP-DD active optical cables are designed for use in 400 Gigabit Ethernet links over OM4 multimode fibres, and contain eight multi-mode fibres (MMF) optic transceivers per end, each operating at data rates of up to 53Gb/s. QSFP-DD MSA family of modules and cages remain fully backward 22 compatible with the classic QSFP+ formfactor. This document provides a common specification for systems 25 24 23 manufacturers, system integrators, and suppliers of modules. 34 purpose, or any other warranty otherwise arising out of. Our active optical cable assembly portfolio provides improved cable flexibility and longer reach as compared to both traditional passive copper and emerging active copper (ACC/AEC) solutions, supporting high performance computing, data center and networking interconnect applications. This active optical cable is compliant with IEEE 802. 3cd. Smartoptics QSFP-DD transceivers provide cost-efficient 400G and 800G optical networking. It explains their technical differences, compatibility considerations, and ideal use cases to help readers choose the right module for enterprise and data center. P-DD MSA Hardware Specification. Specification include ff cts of ground FP DD MSA Har cu tomization can be.

© 2026 Activa Netcom & Energy Systems - All rights reserved

Article Content

Cisco QSFP-DD Pluggable Open Line System (QSFP-DD OLS)

Product overview The Cisco® QSFP-DD Open Line System (QSFP-DD OLS) is a pluggable optical amplifier module that, together with the channel breakout options (described later), provides a simple

OSFPFL-400G-QDDAOxxx Datasheet | FS

The 400G QSFP-DD to OSFP-RHS Active Optical Cable is a pluggable, parallel, fiber-optic QSFP-DD to OSFP-RHS AOC for Ethernet applications. It contains eight multi-mode fibers (MMF) optic

QSFP-DD Hardware

Abstract: This specification defines: the electrical and optical connectors, electrical signals and power supplies, mechanical and thermal requirements of the pluggable QSFP Double Density (QSFP

QSFP-DD Hardware

Current rating for each of QSFP-DD1600 contacts are increased to 2 A with feasibility of at least 40 W module power dissipation. Appendix F defines QSFP-DD1600 enhanced thermal design with bottom

Cisco 400G QSFP-DD Optical Transceivers Overview

A: Active optical cables (AOC) are complete optical modules with integrated transmitters and receivers designed for direct connections between switches, servers and storage devices. On

200G QSFP-DD Active Optical Cable Datasheet | FS

The QDD200-AOxx is a 8-Channel, Pluggable, Parallel, Fiber-Optic QSFP-DD AOC for 2X100 Gigabit Ethernet, Infiniband FDR/EDR Applications. This transceiver is a high performance module for short

QSFP-DD TRANSCEIVERS for 400G and 800G

Active Optical Cables (AOC): Incorporate real transceivers with fiber optics, providing longer-distance connectivity while remaining lightweight and flexible. These

Unlocking the Potential of 200G QSFP-DD: A Deep Dive into Optical ...

This blog will discuss the world of optical transceivers, which mainly includes the 200G QSFP-DD module. Understanding how this advanced technology increases data center

Product Datasheet 400G QSFP-DD Active Optical Cable

© 2026 Activa Netcom & Energy Systems - All rights reserved

Notes: QSFP-DD uses common ground (GND) for all signals and supply (power). All are common within the QSFP-DD module and all module voltages are referenced to this potential unless

400G QSFP-DD Active Optical Cable

400G QSFP-DD Active Optical Cable FEATURES Eight-channel full duplex active optical cable Up to 53.125 Gbps data rate per channel by PAM 4 modulation Low power consumption: < 8 W per cable

How to Achieve Interconnection Between OSFP and QSFP-DD Ports?

As data centers transition to 400G/800G networks, device interoperability has emerged as a key challenge. With exponential traffic growth, hyperscale data centers must deploy multiple

400G QSFP-DD Active Optical Cable Datasheet | FS

400G QSFP-DD to 400G QSFP-DD Active Optical Cable enables low-power, high-reliability and high-speed interconnections over very thin copper cables without using any optical components.

400G Optical Transceivers: What''s the Difference Between OSFP and QSFP-DD?

Application Scenarios: Both QSFP-DD and OSFP are suitable for data center interconnect (DCI) scenarios, including direct attach copper cables (DAC), active optical cables (AOC), and fiber optic

Cisco QSFP-DD800 Transceiver Modules Data Sheet

Standards QSFP-DD MSA hardware Rev 6.01, QSFP-DD800 hardware specification GR-20-CORE: Generic Requirements for Optical Fiber and Optical Fiber Cable GR-326-CORE: Generic

Understanding SFP, SFP+, QSFP and Beyond:

In the world of networking, the ability to connect devices with high-speed data transmission is crucial. Whether you are setting up a local area network (LAN), a

SFP, QSFP, QSFP-DD, OSFP ACTIVE OPTICAL CABLE ASSEMBLIES

TE Connectivity''s (TE) active optical cable assembly portfolio provides improved cable flexibility and longer reach, as compared to both traditional passive copper solutions and emerging active copper

© 2026 Activa Netcom & Energy Systems - All rights reserved

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://www.activa.net.pl
Email: sales@activa.net.pl
Phone: +48 662 748 193
Address: ul. Cybernetyki 7B, 02-677 Warsaw, Poland

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Activa Netcom & Energy Systems - All rights reserved